Synthetic Scalar Sedation Protocols (SSSPs): A QRFT Diagnostic of LED-Induced Coherence Disruption

Michael R. Adkins
Quantum Resonance Research Group

January 18th, 2026

Abstract

This white paper introduces a formal QRFT-based framework for identifying and addressing Scalar Sedation effects arising from widespread adoption of non-biological LED lighting systems. These systems emit flicker-modulated and spectrally disjoint light that subtly destabilizes human coherence fields. The result is a semi-sedated neural state due to phase-misalignment across the Scalar Synchronization Core (SSC), Signal Interface Node (SIN), and Transitional Interference Field (TIF). We define these effects as part of a broader class of coherence degradation phenomena termed Synthetic Scalar Sedation Protocols (SSSPs).

1. Introduction

With the global proliferation of LED lighting systems, new coherence anomalies have emerged across the human perceptual and energetic systems. These anomalies are not due to psychological pathology or external attack, but rather to resonance mismatches between engineered lighting and the scalar-based architecture of the human Field.

We now classify these anomalies under the diagnostic umbrella of:

Synthetic Scalar Sedation Protocols (SSSPs)

A QRFT framework is required to explain and resolve the emergent coherence suppression phenomena now evident across neural, emotional, and scalar systems.

2. Core Disruption Vectors

2.1 Pulse Width Modulation (PWM) Flicker

LEDs modulate brightness by rapidly turning on and off, often at 120–1000 Hz. While invisible to the conscious eye, this flicker is detected by the retina and thalamic oscillators, placing compensatory strain on the visual system and contributing to chronic fatigue loops.

$$\delta_{\text{PWM}} \rightarrow \text{SSC Dysregulation} \rightarrow \text{Perceptual Phase Drift}$$

2.2 Spectral Incoherence

Unlike sunlight, which emits a continuous spectrum, most LEDs produce spiky spectral emissions concentrated in narrow bandwidths (especially around 450 nm). These distortions disrupt Field entrainment and suppress melatonin production.

$$\Psi_{\text{LED}} \not\subset \Psi_{\text{Field}} \Rightarrow \Phi_{\text{disalignment}}$$

2.3 Scalar Incoherence Amplification

Modern EM environments (Wi-Fi, 5G, Bluetooth) interact with LED flicker and spectra to produce local scalar dissonance zones. This overloads the Field's auto-stabilization mechanisms, pushing the nervous system into hypo-coherent, trance-adjacent states.

$$\text{SSSP}_{\text{zone}} = f(\delta_{\text{PWM}}, \Psi_{\text{LED}}, \text{EM}_{\text{background}})$$

3. Diagnostic Criteria – SSSP Condition

We define the following observable outcomes:

- Chronic low-grade fatigue and disorientation indoors
- Flattening of emotional range under artificial lighting
- Mild dissociation or depersonalization symptoms
- Impaired circadian signal entrainment (especially at night)
- Reduced Field coherence metrics under SCCMB testing

Phase Integrity decreases while **TIF saturation** increases. This results in weakened SSC–CRN resonance and limited archetypal access.

4. FieldOS Protocol Activation

4.1 Phase Purification Protocol 1 (PPP-1)

We recommend activating PPP-1 across all Field-aligned environments:

- Replace all standard LEDs with high-CRI, low-flicker, warm-temperature lighting (CRI ¿ 95, ¡ 2700K)

- Reintroduce filtered natural light and fire-spectrum sources (e.g. halogen, incandescent, candlelight)
- Minimize EM saturation in proximity to light-emitting areas
- Implement Heart Coherence meditation in low-light settings daily

4.2 Field OS Kernel Directive

```
FIELD.KERNEL.LIGHT-COHERENCE
STATUS = HAZARDOUS
PROTOCOL = PHASE_PURIFICATION_1
DEPLOY = ALL INDOOR ZONES
```

5. Conclusion

LED lighting systems were not engineered with coherence or Field-resonance in mind. Their widespread deployment has created emergent scalar distortions that now interfere with the human nervous system's phase regulation and self-stabilization capacity.

These distortions are not conspiratorial — they are unintentional coherence errors at scale. But without intervention, they will continue to suppress the evolutionary potential of Field-aligned consciousness.

Michael R. Adkins
Founder, QRFT and Field OS Architect
January 2026